San Francisco, Minimum Off-Street Parking Requirements:

SEC. 151. SCHEDULE OF REQUIRED OFF-STREET PARKING SPACES.

Off-street parking spaces shall be provided in the minimum quantities specified in the following table, except as otherwise provided in Section 151.1 and Section 161 of this Code. Where the building or lot contains uses in more than one of the categories listed, parking requirements shall be calculated in the manner provided in Section 153 of this Code. Where off-street parking is provided which exceeds certain amounts in relation to the quantities specified in this table, as set forth in Section 204.5 of this Code, such parking shall be classified not as accessory parking but as either a principal or a conditional use, depending upon the use provisions applicable to the district in which the parking is located. In considering an application for a conditional use for any such parking, due to the amount being provided, the City Planning Commission shall consider the criteria set forth in Section 157 of this Code.

Table 151

OFF-STREET PARKING SPACES REQUIRED

TABLE INSET:

Use or Activity	Number of Off-Street Parking Spaces Required
Dwelling, except as specified below, and except in the Bernal Heights Special Use District as provided in Section 242	One for each dwelling unit.
Dwelling, RC-4 and RSD Districts, except in the Van Ness Special Use District	One for each four dwelling unit.
Dwelling, specifically designed for and occupied by senior citizens or physically handicapped persons, as defined and regulated by Section 209.1(m) of this Code	One-fifth the number of spaces specified above for the district in which the dwelling is located.
Group housing of any kind	One for each three bedrooms or for each six beds, whichever results in the greater requirement, plus one for the manager's dwelling unit if any, with a minimum of two spaces required.
SRO units	In the South of Market base area, one for each 20 units, plus one for the manager's dwelling unit, if any, with a minimum of two spaces.
Hotel, inn or hostel in NC Districts	0.8 for each guest bedroom.
Hotel, inn or hostel in districts other than NC	One for each 16 guest bedrooms where the number of guest bedrooms exceeds 23, plus one for the manager's dwelling unit, if any.
Motel	One for each guest unit, plus one for the manager's dwelling unit, if any.
Mobile home park	One for each vehicle or structure in such park, plus one for the manager's dwelling unit if any.
Hospital or other inpatient medical institution	One for each 16 guest excluding bassinets or for each 2,400 square feet of gross floor area devoted to sleeping rooms, whichever results in the greater requirement, provided that these requirements shall not apply if the calculated number of spaces is no more than two.
Residential care facility	One for each 10 residents, where the number of residents exceeds nine.
Child care facility	One for each 25 children to be accommodated at any one time, where the number of such children exceeds 24.

Elementary school	One for each six classrooms.
Secondary school	One for each two classrooms.
Post-secondary educational institution	One for each two classrooms.
Church or other religious institutions	One for each 20 seats by which the number of seats in the main auditorium exceeds 200.
Theater or auditorium	One for each eight seats up to 1,000 seats where the number of seats exceeds 50 seats, plus one for each 10 seats in excess of 1,000.
Stadium or sports arena	One for each 15 seats.
Medical or dental office or outpatient clinic	One for each 300 square feet of occupied floor area, where the occupied floor area exceeds 5,000 square feet.
Offices or studios of architects, engineers, interior designers and other design professionals and studios of graphic artists	One for each 1,000 square feet of occupied floor area, where the occupied floor area exceeds 5,000 square feet.
Other business office	One for each 500 square feet of occupied floor area, where the occupied floor area exceeds 5,000 square feet, except one for each 750 square feet within the SSO District, where the occupied floor area exceeds 5,000 square feet.
Restaurant, bar, nightclub, pool hall, dance hall, bowling alley or other similar enterprise	One for each 200 square feet of occupied floor area, where the occupied floor area exceeds 5,000 square feet.
Retail space devoted to the handling of bulky merchandise such as motor vehicles, machinery or furniture	One for each 1,000 square feet of occupied floor area, where the occupied floor area exceeds 5,000 square feet.
Greenhouse or plant nursery	One for each 4,000 square feet of occupied floor area, where the occupied floor area exceeds 5,000 square feet.
Other retail space	One for each 500 square feet of occupied floor area up to 20,000 where the occupied floor area exceeds 5,000 square feet, plus one for each 250 square feet of occupied floor area in excess of 20,000.
Service, repair or wholesale sales space, including personal, home or business service space in South of Market Districts	One for each 1,000 square feet of occupied floor area, where the occupied floor area exceeds 5,000 square feet.
Mortuary	Five.
Storage or warehouse space, and space devoted to any use first permitted in an M-2 District	One for each 2,000 square feet of occupied floor area, where the occupied floor area exceeds 10,000 square feet.
Arts activities and spaces except theater or auditorium spaces	One for each 2,000 square feet of occupied floor area, where the occupied floor area exceeds 7,500 square feet.
Other manufacturing and industrial uses	One for each 1,500 square feet of occupied floor area, where the occupied floor area exceeds 7,500 square feet.
Live/work units	One for each 2,000 square feet of occupied floor area, where the occupied floor area exceeds 7,500 square feet, except in RH or RM Districts, within which the requirement shall be one space for each live/work unit.

(Amended by Ord. 443-78, App. 10/6/78; Ord. 69-87, App. 3/13/87; Ord. 445-87, App. 11/12/87; Ord. 537-88, App. 12/16/88; Ord. 412-88, App. 9/10/88; Ord. 115-90, App. 4/6/90; Ord. 32-91, App. 1/25/91; Ord. 368-94, App. 11/4/94; Ord. 217-05, File No. 050865, App. 8/19/2005; Ord. 129-06, File No. 060372, App. 6/22/2006)

SEC. 151.1. PERMITTED OFF-STREET PARKING IN DOWNTOWN RESIDENTIAL (DTR), C-3, NEIGHBORHOOD COMMERCIAL TRANSIT (NCT), AND RESIDENTIAL TRANSIT ORIENTED (RTO) DISTRICTS.

(a) For any use in DTR, NCT, RTO or C-3 Districts, off-street accessory parking shall not be required as specified in Section 151.1 herein.

SEC. 161. EXEMPTIONS FROM OFF-STREET PARKING, FREIGHT LOADING AND SERVICE VEHICLE REQUIREMENTS.

The following exemptions shall apply to the requirements for off-street parking and loading spaces set forth in Sections 151 through 155 of this Code. These provisions, as exemptions, shall be narrowly construed.

- (a) No off-street parking shall be required for a one-family or two-family dwelling where the lot on which such dwelling is located is entirely inaccessible by automobile because of topographic conditions.
- (b) No off-street loading shall be required where access to the lot cannot be provided other than by means of a driveway across a sidewalk 25 feet or more in width from the curb to the front lot line which would cause serious disruption to pedestrian traffic.
- (c) In recognition of the compact and congested nature of the downtown area and portions of Chinatown, the accessibility of this area by public transit, and programs for provision of public parking facilities on an organized basis at specific locations, no off-street parking shall be required for any use, in any C-3 Districts, or for any use other than dwellings units where a requirement is specified, in Chinatown Visitor Retail, or Chinatown Residential Neighborhood Commercial Districts.
- (d) In recognition of the small scale of development, the desirability of retention and conversion of many existing buildings of established character, the need to relieve congestion, and the provision of public parking facilities on an organized basis at specific locations, no off-street parking shall be required for any use other than dwellings in the Washington Broadway Special Use District Numbers 1 and 2 as described in Section 239 of this Code and in the Chinatown Community Business District, where the size of the lot does not exceed 20,000 square feet.
- (e) In recognition of the close neighborhood orientation of the uses provided for in Residential-Commercial Combined Districts of high density, no off-street parking shall be required for any principal use in an RC-4 District for which the form of measurement is occupied floor area, where the occupied floor area of such use does not exceed 10,000 square feet.

The remainder of this section deals with situations in which the Planning Commission can modify, reduce or waive the parking requirements.

Portland, Oregon Minimum Off-Street Parking Requirements:

33.266.110 Minimum Required Parking Spaces

A. Purpose. The purpose of required parking spaces is to provide enough on-site parking to accommodate the majority of traffic generated by the range of uses which might locate at the site over time. Sites that are located in close proximity to transit, have good street connectivity, and good pedestrian facilities may need little or no off-street parking. Transit-supportive plazas and bicycle parking may be

substituted for some required parking on a site to encourage transit use and bicycling by employees and visitors to the site. The required parking numbers correspond to broad use categories, not specific uses, in response to this long term emphasis. Provision of carpool parking, and locating it close to the building entrance, will encourage carpool use.

B. Minimum number of parking spaces required.

 The minimum number of parking spaces for all zones is stated in Table 266-1. Table 266-2 states the required number of spaces for use categories. The standards of Tables 266-1 and 266-2 apply unless specifically superseded by other portions of the City Code.

Table 266-1 Minimum Required and Maximum Allowed Parking Spaces By Zone [1]			
Zone	Requirement		
OS, RF - RH, IR, CN2, CO2,	Minimum is Standard A in Table 266-2.		
CG, EG, I	Maximum is Standard B in Table 266-2.		
EX	Minimum - None, except: Household Living: minimum of 0 for1 to 3 units, 1 per 2 units for four+ units, and SROs exempt Maximum is Standard A in Table 266-2, except: 1) Retail, personal service, repair-oriented - Maximum is 1 per 200 sq. ft. of floor area. 2) Restaurants and bars - Maximum is 1 per 7 sq. ft. of floor area. 3) General office - Maximum is 1 per 400 sq. ft of floor area. 4) Medical/Dental office - Maximum is 1 per 3 sq. ft. of floor area.		
CN1	Minimum – None. Maximum of 1 space per 2,500 sq. ft. of site area.		
CM, CS, RX, CX, CO1	Minimum – None. Maximum is Standard B in Table 266-2.		

Title 33, Planning and Zoning 11/9/07 Chapter 33.266 Parking And Loading

Table 266-2 Parking Spaces by Use (Refer to Table 266-1 to determine which standard applies.)

(Refer to Table 200-1 to determine which standard appress)			
Use Categories	Specific Uses	Standard A	Standard B
Residential Categories			
Household Living		1 per unit, except SROs exempt and in RH, where it is 0 for 1 to 3 units and 1 per 2 units for four + units	None
Group Living		1 per 4 residents	None
Commercial Categories			
Retail Sales And Service	Retail, personal service, repair oriented	1 per 500 sq. ft. of floor area	1 per 196 sq. ft. of floor area
	Restaurants and bars	1 per 250 sq. ft. of floor area	1 per 63 sq. ft. of floor area
	Health clubs, gyms, lodges, meeting rooms, and similar. Continuous entertainment such as arcades and bowling alleys	1 per 330 sq. ft. of floor area	1 per 185 sq. ft. of floor area
	Temporary lodging	1 per rentable room; for associated uses such as restaurants, see above	1.5 per rentable room; for associated uses such as restaurants, see above
	Theaters	1 per 4 seats or 1 per 6 feet of bench area	1 per 2.7 seats or 1 per 4 feet of bench area
Office	General office	1 per 500 sq. ft. of floor area	1 per 294 sq. ft. of floor area
	Medical/Dental office	1 per 500 sq. ft. of floor area	1 per 204 sq. ft. of floor area
Quick Vehicle Servicing		1 per 500 sq. ft. of floor area	1 per 196 sq. ft. of floor area
Vehicle Repair		1 per 750 sq. ft. of floor area [1]	1 per 500 sq. ft. of floor area
Commercial Parking		Not applicable	None
Self-Service Storage		[2]	[2]
Commercial Outdoor Recreation		20 per acre of site	30 per acre of site
Major Event Entertainment		1 per 8 seats or per CU review	1 per 5 seats or per CU review
Industrial Categories			
Manufacturing And Production		1 per 750 sq. ft. of floor area [1]	1 per 500 sq. ft. of floor area
Warehouse And Freight Movement		1 per 750 sq. ft. of floor area for the first 3,000 sq. ft. of floor area and then 1 per 3,500 sq. ft. of floor area thereafter [1]	1 per 500 sq. ft. of floor area for the first 3,000 sq. ft. of floor area and then 1 per 2,500 sq. ft. of floor area thereafter
Wholesale Sales, Industrial Service, Railroad Yards		1 per 750 sq. ft. of floor area [1]	1 per 500 sq. ft. of floor area
Waste-Related		Per CU review	Per CU review

Chapter 33.266 Parking And Loading Title 33, Planning and Zoning 11/9/07

Use Categories	Specific Uses	Standard A	Standard B
_	•		
Institutional			
Categories			
Basic Utilities		None	None
Community Service		1 per 500 sq. ft. of floor	1 per 196 sq. ft. of floor
		area	area
Parks And Open		Per CU review for active	Per CU review for active
Areas		areas	areas
Schools	Grade, elementary, middle,	1 per classroom, or per CU	1.5 per classroom, or per
	junior high	or Impact Mitigation Plan	CU or Impact Mitigation
		approval	Plan approval
	High school	7 per classroom, or per CU	10.5 per classroom, or per
		or Impact Mitigation Plan	CU or Impact Mitigation
		approval	Plan approval
Medical Centers		1 per 500 sq. ft. of floor	1 per 204 sq. ft. of floor
		area; or per CU review or	area; or per CU review or
		Impact Mitigation Plan	Impact Mitigation Plan
		approval	
Colleges		1 per 600 sq. ft. of floor	1 per 400 sq. ft. of floor
		area exclusive of	area exclusive of
		dormitories, plus 1 per 4	dormitories, plus 1 per 2.6
		dorm rooms; or per CU	dorm rooms; or per CU
		review or Impact Mitigation	review or Impact Mitigation
		Plan approval	Plan approval
Religious		1 per 100 sq. ft. of main	1 per 67 sq. ft. of main
Institutions		assembly area; or per CU	assembly area; or per CU
		review	review
Daycare		1 per 500 sq. ft. of floor	1 per 330 sq. ft. of floor
		area	area
Other Categories			
Agriculture		None, or per CU review	None, or per CU review
Aviation		Per CU review	Per CU review
Detention Facilities		Per CU review	Per CU review
Aggregate Extraction		Per CU review	Per CU review
Radio Frequency	Unmanned facilities	None	None
Transmission	operating at or below 1000	110110	110110
Facilities	watts ERP		
Lacindos	All Other Facilities	2 per site	None
Rail Lines & Utility	An Other Facilities	None	None
Corridors		None	Hone
Notes		l .	

Notes:

- [1] For uses in an EG or I zone, if the site size is 5,000 sq. ft. or less, no more than 4 spaces are required.
- Where the site size is between 5,001 and 10,000 sq. ft., no more than 7 spaces are required.

 [2] Minimum of 1 per resident manager's facility, plus 3 per leasing office, plus 1 per 100 leasable storage spaces in multi-story buildings. Maximum of 2 per resident manager's facility, 5 per leasing office, 1 per 67 leasable storage spaces in multi-story buildings.

Coral Gables Off-Street Parking Requirements:

A building <u>used for other than residential purposes</u> in the City of Coral Gables Central Business District shall be exempted from the off-street parking requirements of Article XV of this code, provided, however that the Floor Area Ratio (F.A.R.) of such buildings not exceed 1.25.

Minimum parking requirements for single family residences are the same as D.C.'s current minimum parking requirements. Minimum parking requirements for townhouses, duplexes, two-family residences and apartment buildings are based on the number of bedrooms and are far higher than D.C.'s current minimum parking requirements

- (d) Central business district.
 - The central business district shall consist of all commercially zoned property bordered by LeJeune Road on the west, Douglas Road on the east, Navarre Avenue on the north,
 - east, Navarre Avenue on the north, and Almeria Avenue on the south.

 2. Any building used for other than residential purposes and located in the City of Coral Gables central business district, as herein defined, shall be exempted from the off-street parking requirements of Article XV of this code, provided, however, that the Floor Area Ratio (F.A.R.) of such buildings shall not exceed 1.2 in
 - the Floor Area Ratio (F.A.R.) of such buildings shall not exceed 1.25.

 New buildings containing a Floor Area Ratio (F.A.R.) of more than 1.25 and existing buildings being enlarged to contain a Floor Area Ratio (F.A.R.) of more than 1.25 shall provide off-street parking in accordance with the requirements of Article XIII of this code.

Sec. 13-6 - Minimum parking requirements--By use.

(a) Off-street parking shall be provided and maintained as shown on the schedule designated as "Coral Gables Minimum Off-Street Parking Requirements--By Use," Tables Nos. 1, 2, 3 and 4 as follows:

Coral Gables Minimum Off-Street Parking Requirments—By Use Table 1

Residential Uses			
Single Family Residence	One parking space consisting of a porte-cochere, carport, breezeway or garage. (3233)		
Townhouses	 (a) One parking space for each one bedroom unit. (b) Two (2) parking spaces for each two (2) or more bedroom units. 		
Duplex or Two-Family	(a) One and one-half (1½) parking spaces for each one and two (2) bedroom		
Residence	units.		
	(b) Two (2) parking spaces for each three (3) or more bedroom units.		
Apartment Building	For that area lying south of U.S. Highway 1 and east of LeJeune Road and Old Cutler Road, the following off-street parking spaces shall be provided: (3233) (a) Two (2) parking spaces for each efficiency, one bedroom, two (2) bedroom or three (3) bedroom apartment unit. (b) Three (3) parking spaces for each apartment containing four (4) or more bedrooms. (c) One parking space for each twenty (20) parking spaces provided for use as supplemental parking.		
	For the remainder of the City of Coral Gables except that area lying south of U.S. Highway 1 and east of LeJeune Road and Old Cutler Road, the following parking spaces shall be provided; (3233) (a) One and one-half (1½) parking space for each efficiency, one bedroom or two (2) bedroom apartment units. (b) Two (2) parking spaces for each three (3) bedroom apartment units. (c) Three (3) parking spaces for each apartment containing four (4) or more bedrooms. (d) One parking space for each fifteen (15%) percent of the apartment units for supplemental parking.		
Hotel	(a) One parking space for each sleeping room. (b) One employee parking space for each eight (8) hotel sleeping rooms. (c) Spaces required for other uses in hotel such as retail shops, beauty shops, barber shops, bars, restaurants, meeting rooms, etc.		
Apartment-Hotel	(a) One parking space for each hotel sleeping room. (b) One and one-half (1½) parking spaces for each efficiency, one bedroom or two (2) bedroom apartments. (c) Two (2) parking spaces for each three (3) bedroom apartments. (d) Three (3) parking spaces for each apartment containing four (4) or more bedrooms. (e) One employee parking space for each eight (8) hotel sleeping rooms. (f) In each instance, spaces required for other uses such as retail shops, beauty shops, barber shops, bars, restaurant, meeting rooms, etc.		
Motel or Motor Court	(a) One parking space for each sleeping room. (b) One parking space for manager. (c) One employee parking space for each eight (8) sleeping rooms. (d) Parking spaces required for other uses such as retail shops, beauty shops, barber shops, beauty barber shops, restaurant, meeting room, etc., if applicable under Section 5-5, 5-6 and 5-7.		

Coral Gables Off-Street Parking Requirements, continued:

Coral Gables Minimum Off-Street Parking Requirements--By Use Table 2 Commercial Uses

One parking space required per square feet of gross building area shown below:

100	200	250	300	350	400
square feet	square feet	square feet	square feet	square feet	square feet
Business Schools, Trade Schools, Vocational Schools.	Beauty Shops Clinics, Medical & Dental outside the Central Business District, Medical & Dental Business Buildings outside the Central Business District, Post Office	Animal Hospitals, Cat Beauty Shops, Civic Clubs, Clinics, Medical Beauty Shops, Clinics, Medical Beauty Shops, Clinics, Medical Business District, Community Centers, Dog Beauty Shops, Fraternal Buildings, Buildings, Libraries, Lodge Buildings, Medical 8 Dental Buildings in the Central Business District, Museums, Private Clubs, Union Hells, Veterinary Clinics	Banks, Business & Professional Offices outside the Central Business District, Dry Cleaners, Laundries, Savings Institutions, Self-service Laundries	Art Galleries, Artist Studios, Barber Shops, Business and Professional Offices in the Central Business District, Crodit Unions, Finance Companies, Finance Institutions, Photographers, Photo Galleries, Retail Shops, Saries, Shops, Travel Agencies, Trust Companies	Blueprinting. Cleaning Plants, Dyeing Plants, Plants, Engraving Plants, Newspaper Plants, Nicure Praming, Photocopy, Photostatic Copying, Photo Developing and Printing, Printing, Printing, Printing, Printing, Appliances, etc)

One and one-half (1½) parking spaces required per square feet of gross building floor area shown below:

100 square feet	200 square feet
Outside Central Business District	In the Central Business District
Bars Delicatessens Beer Gardens Lunch Counters Cafes	Bars Delicatessens Beer Gardens Lunch Counters Cafes
Restaurants Cafeterias Taverns Cocktail Lounges	Restaurants Cafeterias Taverns Cocktail Lounges

Mixed-Uses: Off-street parking for mixed-uses shall be provided in accordance with Section 13-7(c). Central Business District:
(a) For delineation of the Central Business District refer to Section 13-5(d) 1.
(b) Buildings not exceeding a F.A.R. of 1.25 located within the Central Business District and used for other than residential purposes are not required to provide off-street parking. (Section 13-5).
Off-Street Loading: Off-street loading spaces shall be provided in accordance with Section 13-9.

Coral Gables Minimum Off-Street Parking Requirements--By Use Table 3

Parking space requirements for uses based on the number of beds, seats, bowling alleys, assembly and dance floor area, etc. as follows:

Hospitals	Two (2) parking spaces for each bed.
Auditoriums and Assembly Halls	One parking space for each four (4) fixed seats plus one parking space for each forty (40) square feet of floor area where movable seats.

Convention Halls Exhibition Halls	One parking space for each five (5) spectator seats, or one parking space for each two-hundred (200) square feet or gross floor area, whichever is greater.
Gymnasiums Skating Rinks Stadiums Sports Arena	
Churches	One parking space for each five (5) fixed seats plus one parking space for each fifty (50) square feet of assembly room area not having fixed seats (not to include classrooms).
Funeral Chapels Funeral Homes Mortuaries	One parking space for each four (4) fixed seats plus one parking space for each forty (40) square feet of floor area with movable seats, with a minimum of ten-thousand (10,000) square feet of parking area.
Theaters Motion Pictures	One parking space for each four (4) fixed seats.
Bowling Lanes	Four (4) parking spaces for each alley.
University Class room	One parking space for each ten (10) fixed or movable student seats.
Senior High School	One parking space for each ten (10) fixed or movable student seats plus one parking space for each classroom.
Junior High School Elementary Schools	One parking space for each classroom plus one parking space for each two hundred (200) square feet of assembly area.
Kindergarten Nurseries	One parking space for each eight-hundred (800) square feet of gross building floor area.
Dancing Schools	One parking space for each one-hundred (100) square feet of dance floor area, plus one parking space for each six-hundred (600) square feet of gross building floor area.
Dance Halls Ballrooms	One parking space for each one-hundred (100) square feet of dance floor area.
Dormitories Fraternity Houses Sorority Houses	One parking space for each one-hundred-fifty (150) square feet of floor area used for sleeping.
Car, Sales and Service	(a) One parking space for each three-hundred (300) sq. ft. of office space; (b) One parking space for each six-hundred (600) sq. ft. of showroom floor area; (c) One parking space for each five-hundred (500) sq. ft. of remaining gross floor area.
Convalescent Homes	One parking space for each staff member and one space for every three (3) residents
Group Home	(based upon the maximum number of residents permitted to reside therein).
Homes for the Aged	
Nursing Homes	
Rest Homes, Sanitariums	
Off-street loading	Off-street loading spaces shall be provided in accordance with Section 13-9.

Coral Gables Minimum Off-Street Parking Requirements--By Use Table 4

Industrial and Miscellaneous Uses One parking apace for each 300 square feet of office floor area plus one parking space for each 500 or 1,000 square feet of remaining gross building floor area as shown below:			
Automobile Repair Shop Paint and Body Shop	Assembly Plants. Boots, Display and Sales. Botting Plants. Botting Plants. Contractor Shop such as General, Plumbing, Electrical, Roofing etc. Distributorahip with Warehousing. Electronic Plants. Manufacturing Plants. Research Laboratories. Sign Painting Shops. Storage Establishments. Testing Laboratories. Tire and Recapping Shops. Upholstering Shops. Upholstering Shops. Upholstering Shops. Warehouses en and Welding Shops		
Off-Street Loading	Wholesale Distributor with Warehousing Off-street loading spaces shall be provided in accordance with Section 13-9.		

A13-12

A13-11

Olympia, Washington Off-Street Parking Requirements:

Minimum parking requirements are exempted only for residential uses in the "Downtown Parking Exempt Area" along the waterfront. There is another area where a 10% reduction in the parking requirement is available, and outside the parking exempt area, for Urban Residential (UR), High Rise Multifamily (RM-H) Residential Mixed Use (RMU) and Commercial Services - High Density (CS-H) Zones, the residential parking requirement is reduced to one motor vehicle parking space per unit.

Use	Required Motor Vehicle Parking Spaces	Minimum Required Long-Term Bicycle Spaces	Minimum Required Short-Term Bicycle Spaces
RESIDENTIAL			
Accessory Dwelling Unit	One (1) space per unit	None	None
Bed and Breakfast	One (1) space in addition to space(s) required for the residential unit.	One (1) per ten (10) rooms. Minimum of one (1).	None
Community Club Houses		None	One (1) per ten (10) auto stalls. Minimum of two (2).
Cottage Housing	One (1) space per unit or 1.5 space per unit if on-street parking is not available along street frontage (One (1) space per twenty (20) linear feet).	One per five (5) units, or one (1) per three (3) units if no onstreet parking. Minimum of two (2).	One per ten (10) units, or one (1) per six (6) units if no on-street parking. Minimum of two (2).
Elder Care Home	One (1) space in addition to space(s) required for the residential unit.	Minimum of two (2).	Minimum of two (2).
Fraternities, Sororities and Dormitories	One (1) space for every three (3) beds, plus one (1) space for the manager.	One per fourteen (14) beds. Minimum of two (2).	Ten (10) per dormitory, fraternity or sorority building.
Group Home	One (1) space for each staff member plus one (1) space for every five (5) residents. Additionally, one (1) space shall be provided for each vehicle used in connection with the facility.	One (1) per ten (10) staff members plus one (1) per thirty (30) residents. Minimum of one (1). Additional spaces may be required for conditional uses.	None
Home Occupations	None, except as specifically provided in this table.	None	None
Mobile Home Park	Two (2) spaces per lot or unit, whichever is greater. If recreation facilities are provided, one (1) space per ten (10) units or lots.	None	None
Multifamily Dwellings	Three or more units shall provide one and one-half (1.5) off-street parking spaces per dwelling unit.	One (1) storage space per unit that is large enough for a bicycle.	One (1) per ten (10) units. Minimum of two (2) per building.
Single Family to include Duplex and Townhouse.	Two (2) spaces per unit. Note: parking spaces may be placed in tandem (behind the other). DB, CSH and RMH zone districts require one (1) space/unit.	None	None
Studio Apartments.	Apartments with one (1) room enclosing all activities shall provide one (1) off- street parking space per dwelling unit	None	One (1) per ten (10) units. Minimum of two (2) per building.

Olympia, Washington Off-Street Parking Requirements, continued:

ss than 15,000 sq. ft = 3.5 cccs for each 1000 sq. ft. gross floor area. 001 to 400,000 sq. ft = 4 cccs for each 1000 sq. ft. gross floor area. re than 400,001 sq. ft. = spaces per 1000 sq. ft. of ss floor area. r (4) spaces per 1000 sq. ft gross floor area.	One per six thousand (6,000) square feet. Maximum of five (5); minimum of one (1). One (1) per 10,000 square feet. Minimum of two (2).	One per three thousand (3,000) square feet. Maximum of ten (10) per tenant, minimum of two (2) within fifty (50) feet of each customer entrance. One (1) per 10,000 square feet, minimum of two (2) within fifty
uces for each 1000 sq. ft. gross floor areas. 001 to 400,000 sq. ft = 4 uces for each 1000 sq. ft. gross floor area. we than 400,001 sq. ft. = 5 pances per 1000 sq. ft. of ss floor area. ar (4) spaces per 1000 sq. ft. of ss floor area.	(6.000) square feet. Maximum of five (5); minimum of one (1). One (1) per 10,000 square feet. Minimum	(3,000) square feet. Maximum of ten (10) per tenant; minimum of two (2) within fifty (50) feet of each customer entrance. One (1) per 10,000 square feet, minimum
of gross floor area.	square feet. Minimum	square feet, minimum
ree (3) spaces minimum		(50) feet of each customer entrance; plus an equal reserved area for adding spaces.
(1) space for every one indred (100) storage units, I two (2) spaces for manent on-site managers.	None	None
ared parking standards ill be used to calculate oded parking. This culation is based upon the sss leasable area (GLA) each shop or business I does not include atriums, ers, hallways, courts, internance areas, etc. See ared parking 18.38.180.	See individual use standards.	See individual use standards
e (1) space per seventy- e (75) square feet of embly area or thirteen o) stalls per 1000 sq. ft.	One (1)	Two (2)
oss floor area up to 2000 ft = One (1) space for h 1290 sq. ft. h 250 sq. ft. h 250 sq. ft. = One space for each 300 sq. ft. = One space for each 300 sq. ft. = One space for each 350 sq. ft. = One space for each 350 sq. ft. = One space for each 350 sq. ft.	One (1) per ten thousand (10,000) square feet. Minimum of two (2).	One (1) per ten thousand (10,000) square feet; plus an equal reserved area for adding spaces. Minimum of two (2).
	uitenance area, etc. See erd parking 18.38.180. • (1) space per seventy- • (7) square feet of embly area or thirteen of stalls per 1000 sq. ft. soss floor area up to 2000 ft. ft. = One (1) space for h 250 sq. ft. = One space for each 300 sq. ft. soss floor area between 11 to 7500 sq. ft. = One space for each 300 sq. ft. soss floor area between 11 to 4000 sq. ft. = One space for each 350 sq. ft. soss floor area of 40001 [greater = One (1) space	intenance areas, etc. See red parking 18 38 180 e (1) space per seventy- (75) square feet of emiby area or thriteen of stalls per 1000 sq. ft. Soss floor area up to 2000 ft. Dose floor area between of the top space for each 300 sq. ft. Soss floor area between of the space for each 300 sq. ft. Soss floor area between of the space for each 300 sq. ft. Soss floor area between of the space for each 300 sq. ft. Soss floor area floor of the space for each 300 sq. ft. Soss floor area of 40001

Offices, Government	3.5 spaces per one thousand (1000) sq. ft.	One (1) per five thousand (5,000) square feet. Minimum of two (2).	One (1) per five thousand (5,000) square feet; minimum of two (2); plus an equal reserved area for adding spaces.
Retail Uses	Three and a half (3.5) spaces per one thousand (1000) sq. ft.	One per six thousand (6,000) square feet. Maximum of five (5); minimum of one (1).	One per three thousand (3,000) square feet. Maximum of ten (10) per tenant; minmum of two (2) within fifty (50) feet of each customer entrance.
Service Station (mini-marts are retail uses)	Three and a half (3.5) spaces per one thousand (1000) sq. ft. g.f.a. or 1 space per 300 sq. ft.	None.	None
Warehouse, Distribution	1 space for each thousand (1000) sq. ft. or 1 space for each employee.	One (1) per forty thousand (40,000) square feet or one (1) per forty (40) employees. Minimum of one (1).	None.
Warehouse Storage	Gross Floor area of 0-10,000 sq. ft. = One (1) space for each one thousand (1000) sq. ft. Gross floor area between (10,001 - 20,000 sq. ft. = ten (10) spaces plus .75 space for each additional one thousand (10,000) sq. ft. Over 20,000 sq. ft. = cighten (18) spaces plus .50 for each additional 100 of ft. edighten (18) spaces plus .50 for each additional 1000 sq. ft. beyond 20,000 sq. ft. qt. ft. plus .50 for each additional 1000 sq. ft. beyond 20,000 sq. ft. qt. qt. ft. plus .50 for each additional 1000 sq. ft. beyond 20,000 sq. ft. qt. qt. qt. qt. qt. qt. qt. qt. qt. q	One (1) plus one (1) for each eighty thousand (80,000) square feet above savey-four thousand (64,000) square feet; one (1) per forty (40) employees. Minimum of one (1).	None

	TABLE	38.01		
Use	Required Motor Vehicle Parking Spaces	Minimum RequiredLong-Term Bicycle Spaces	Minimum Required Short-Term Bicycle Spaces	
COMMERCIAL				
Carpet and Furniture Showrooms	One and one-quarter (1.25) space per one thousand (1000) sq. ft. of gross showroom floor area. Each store shall have a minimum of four (4) spaces.	One per sixteen thousand (16,000) square feet of showroom floor area. Minimum of two (2).	One per eight thousand (8,000) square feet of showroom floor area. Minimum of two (2).	
Child and Adult Day Care	One (1) space for each staff member plus 1 space for each ren (10) children/sdutts if adequate drop-off facilities are provided. Adequate drop- off facilities must allow a continuous flow of vehicles which can safely load and unload children'sdutts. Compliance with this requirement shall be determined by the review authority.			
Hotel and Motel	One (1) space for each room or suite and one (1) space per managers unit. Hotel/motel banquet and meeting rooms shall provide six (6) spaces for each thousand (1000) square feet of seating area. Restaurants are figured separately.	One (1) per ten (10) rooms. Minimum of two (2).	One (1) per thousand (1,000) square feet of banquet and meeting room space. Minimum of two (2).	

Use	Required Motor Vehicle Parking Spaces	Minimum Required Long-Term Bicycle Spaces	Minimum Required Short-Term Bicycle Spaces
INDUSTRIAL			
Manufacturing	One (1) for each two (2) employees on the largest shift, with a minimum of two (2) spaces.	on largest shift.	One (1) for each thirty (30) employees on largest shift. Minimum of two (2).

Use	Required Motor Vehicle Parking Spaces	Minimum Required Long-Term Bicycle Spaces	Minimum Required Short-Term Bicycle Spaces
PLACES OF ASSEMBLY			
Passenger Terminal Facilities	One (1) space for each one hundred (100) square feet of public floor area or ten (10) spaces per thousand (1000) sq. ft.	Minimum of ten (10)	Minimum of ten (10)
Place of Worship	One (1) space per four (4) seats When individual seats are not provided, one (1) space for each six (6) feet of bench or other seating. The Site Plan Review Committee may use a ratio of six (6) stalls 1000 sq. ft. of assembly area where seats or pews are not provided or when circumstances warrant increased parking; e.g., large regional congregations which attract a large congregation or one which has multiple functions. See shared parking, 1.8 38.180		Oue (1) per 169 seats or 240 lines feet of bench or other seating, and one (1) per 6,000 square feet of assembly area without fixed seats. Minimum of four (4).
Private Clubs or Lodges (does not include health clubs or retail warehouse)	Six (6) spaces per thousand (1000) sq. ft.	One (1) per 6,000 square feet. Minimum of one (1).	One (1) per 6,000 square feet. Minimum of two (2).
Theater and Auditorium	One (1) space for each four and a half (4.5) fixed seats. If the theater or auditorium is a component of a larger commercial development the above parking standard may be modified to account for shared parking as provided in Section 18.38.180 of this Code	One (1) per 450 fixed seats. Minimum of one (1).	One (1) per 110 fixed seats. Minimum of four (4).
Theater and Auditorium without fixed seats	One (1) space for each three (3) permitted occupants. Maximum building occupancy is determined by the Fire Marshal.	One (1) per 300 permitted occupants. Minimum of one (1).	One (1) per 75 permitted occupants. Minimum of four (4).

Olympia, Washington Off-Street Parking Requirements, continued:

Use	Required Motor Vehicle Parking Spaces	Minimum Required Long-Term Bicycle Spaces	Minimum RequiredShort-Term Bicycle Spaces
INSTITUTIONAL			
Beauty Salons/Barber Shops, Laundromats/Dry Cleaners, and Personal Services		One per six thousand (6,000) square feet. Minimum of one (1).	One per three thousand (3,000) square feet. Minimum of two (2).
Educational Facilities (to include business, vocational, universities, and other school facilities).		One (1) per five (5) auto spaces. Minimum of two (2)	One (1) per five (5) auto spaces. Minimum of four (4).
Elementary and Middle School	One (1) stall per twelve (12) students of design capacity.	One (1) per classroom.	Three (3) per classroom.
Farmers Market		None	One (1) per ten (10) auto stalls. Minimum of ten (10).
High School	One (1) space per classroom and office, plus one (1) space for each four (4) students that are normally enrolled and are of legal driving age. Public assembly areas, such as auditoriums, stadiums, etc. that are primary uses may be considered a separate use.	One per five (5) classrooms, plus one (1) for each forty (40) students (may also require one (1) per four thousand five hundred (4,500) assembly seats). Minimum of two (2).	One per five (5) classrooms, plus one (1) for each forty (40) students (may also require one (1) per four thousand five hundred (4,500) assembly seats). Minimum of four (4).
Hospitals, Sanitariums, Nursing Homes, Congregate Care, Rest Homes, Hospice Care Home and Mental Health Facilities.	One (1) for each two (2) regular beds, plus one (1) stall for every two (2) regular employees on the largest shift.	One (1) per thirty (30) beds, plus one (1) per thirty (30) employees on largest shift. Minimum of two (2).	One (1) per thirty (30) beds, plus one (1) per thirty (30) employees on largest shift. Minimum of two (2).
Libraries and Museums	One (1) space per three hundred (300) square feet of public floor area or 3.5 spaces per thousand (1000) sq. ft. Six (6) stalls either on-site or on- street directly adjacent to the property. The Site Plan Review Committee may allow pervious-type parking surfaces.	One (1) per six thousand (6,000) square feet of public floor area. Minimum of two (2).	
Marinas		Minimum of four (4).	One (1) per ten (10) auto stalls. Minimum of four (4).
Other Facilities Not Listed		None	One (1) per twenty-five (25) auto stalls. Minimum of two (2).
Park-N-Ride Lots and Public (Parking) Garages		One (1) per fifteen (15) auto stalls Minimum of four (4)	Two (2).
Parks		None	One (1) per five (5) auto stalls. Minimum of four (4).
Transit Centers		Ten (10).	Ten (10).

Use	Required Motor Vehicle Parking Spaces	Minimum RequiredLong- Term Bicycle Spaces	Minimum Required Short-Term Bicycle Spaces
RECREATION/AMUSEMENT			
Bowling Alleys	Five (5) spaces for each alley.	One (1) per twelve (12) alleys. Minimum of one (1).	One (1) per four (4) alleys. Minimum of four (4).
Health Club	Four (4) spaces for each thousand (1000) sq. ft.	One (1) per 5,000 square feet. Minimum one (1).	One (1) per 2,500 square feet. Minimum of four (4).
Skating Rinks and Other Commercial Recreation	Five (5) spaces per thousand (1000) sq. ft.	One (1) per 8,000 square feet. Minimum of one (1).	One (1) per 4,000 square feet. Minimum of four (4).

Use	Required Motor Vehicle Parking Spaces	Minimum Required Long-Term Bicycle Spaces	Minimum Required Short-Term Bicycle Spaces
RESTAURANT			
Cafes, Bars and other drinking and eating establishments.	Ten (10) spaces per thousand (1000) sq. ft.	One per 2,000 square feet; minimum of one (1).	One per 1,000 square feet; minimum of one (1).
Car Hop	One (1) for each fifteen (15) square feet of gross floor area.	One per 300 square feet; minimum of one (1).	One per 150 square feet; minimum of one (1).
Fast Food	Ten (10) spaces per thousand (1000) square feet plus one (1) lane for each drive-up window with stacking space for six (6) vehicles before the menu board.	One per 2,000 square feet; minimum of one (1).	One per 1,000 square feet; minimum of one (1).

(Ord. <u>6459</u>, §2, 2007; Ord. 6323 §7, 2004; Ord. 6229 §3, 2002; Ord. 5907 §3, 1999; Ord. 5714 §19, 1997; Ord. 5539 §8, 1995; Ord. 5517 §1, 1995).

Spokane, Washington Off-Street Parking Requirements:

Zone	Specific Uses	Requirement		
RA, RSF, RTF, RMF and RHD	All Land Uses	Minimum and maximum standards are shown in <u>Table 17C.230-2</u> .		
O, OR, NR, NMU, CB, GC and Industrial	All Land Uses	Minimum and maximum standards are shown in <u>Table 17C.230-2</u> .		
	Nonresidential	Minimum ratio is 1 stall per 1,000 gros square feet of floor area. Maximum ratio is 4 stalls per 1,000 gross square feet of floor area.		
CC1, CC2 and CC3 [2]	Residential	Minimum ratio is 1 stall per 1,000 gros square feet of floor area or a minimun of 1 stall per dwelling unit, whichever less. Maximum ratio is the same as for nonresidential uses.		
	Nonresidential	Minimum ratio is 2 stalls per 1,000 gross square feet of floor area. Maximum ratio is 4 stalls per 1,000 gross square feet of floor area.		
CC4 [2]	Residential	Minimum ratio is 1 stall per 1,000 gro square feet of floor area or a minimur of 1 stall per dwelling unit, whichever less. Maximum ratio is the same as for nonresidential uses.		
All CBD Zones	All Land Uses	As found in SMC 11.19.197(D).		

Date Passed: Monday, May 8, 2006

Effective Date: Wednesday, June 14, 2006

ORD C33832 Section 11

		7C.230-2 aces by Use	
(Refer to <u>Table 17C 230-1</u> for standards for different zoning categories.) CU = Conditional Use			
Use Categories	Specific Uses	Minimum Parking	Maximum Parking
Residential Categories			
Group Living	Г	1 per 4 residents	None
Residential Household Living		1 per unit plus 1 per bedroom after 3 bedrooms, 1 per ADU; SROs are exempt	None
Commercial Categories			
Adult Business		1 per 500 sq. ft. of floor area	1 per 200 sq. ft. of floor area
Commercial Outdoor Recreation		20 per acre of site	30 per acre of site
Commercial Parking		Not applicable	None
Drive-through Facility		Not applicable	None
Major Event Entertainment		1 per 8 seats or per CU review	1 per 5 seats or per CU review
Office	General Office	1 per 500 sq. ft. of floor area	1 per 200 sq. ft. of floor area
	Medical/Dental Office	1 per 500 sq. ft. of floor area	1 per 200 sq. ft. of floor area
Quick Vehicle Servicing		1 per 500 sq. ft. of floor area	1 per 200 sq. ft. of floor area
Retail Sales and Service	Retail, Personal Service, Repair- Oriented	1 per 330 sq. ft. of floor area	1 per 200 sq. ft. of floor area
	Restaurants and Bars	1 per 250 sq. ft. of floor area	1 per 60 sq. ft. of floor area
	Health Clubs, Gyms, Lodges, Meeting Rooms and similar. Continuous entertainment such as arcades and bowling alleys.	1 per 330 sq. ft. of floor area	1 per 180 sq. ft. of floor area
	Temporary Lodging	1 per rentable room; for associated uses such as restaurants, see above	 1.5 per rentable room; for associat uses such as restaurants, see abov
	Theaters	1 per 4 seats or 1 per 6 feet of bench area	1 per 2.7 seats or 1 per 4 feet of bench area
Mini-storage Facilities		Same as Warehouse and Freight Movement	Same as Warehouse and Freight Movement
Vehicle Repair		1 per 750 sq. ft. of floor area	1 per 200 sq. ft. of floor area
Industrial Categories			
Industrial Service, Railroad Yards, Wholesale Sales		1 per 1,000 sq. ft. of floor area	1 per 200 sq. ft. of floor area
Manufacturing and Production		1 per 1,000 sq. ft. of floor area	1 per 200 sq. ft. of floor area
Warehouse and Freight Movement		1 per 1,000 sq. ft. of floor area for the first 3,000 sq. ft. of floor area and then 1 per 3,500 sq. ft. of floor area thereafter	1 per 200 sq. ft. of floor area
Waste-related		Per CU review	Per CU review
Institutional Categories			
Basic Utilities		None	None
Colleges		1 per 600 sq. ft. of floor area exclusive of dormitories, plus 1 per 4 dorm rooms	1 per 200 sq. ft. of floor area exclusive of dormitories, plus 1 per 2.6 dorm rooms
Community Service		1 per 500 sq. ft. of floor area	1 per 200 sq. ft. of floor area
Daycare		1 per 500 sq. ft. of floor area	1 per 200 sq. ft. of floor area
Medical Centers		1 per 500 sq. ft. of floor area	1 per 200 sq. ft. of floor area
Parks and Open Areas		Per CU review for active areas	Per CU review for active areas
Religious Institutions		1 per 100 sq. ft. of main assembly area	1 per 60 sq. ft. of main assembly area
Schools	Grade, Elementary, Junior High	1 per classroom	1.5 per classroom
	High School	7 per classroom	10.5 per classroom

Other Categories			
Agriculture		None, or per CU review	None, or per CU review
Aviation and Surface Passenger Terminals		Per CU review	Per CU review
Detention Facilities		Per CU review	Per CU review
Essential Public Facilities		Per CU review	Per CU review
Wireless Communication Facilities		None, or per CU review	None, or per CU review
Rail Lines and Utility Corridors		None	None

Date Passed: Monday, May 8, 2006

Effective Date: Wednesday, June 14, 2005

ORD C33832 Section 12

Fort Pierce, Florida Off-Street Parking Requirements:

	Тур	e of U	Jse	Off-Street Parking Requirement
(1)	Re	b. Triplexes, quadraplexes and multifamily housing developments Public housing for the elderly.		
	a.			Two spaces for each dwelling unit
	b.			1.5 spaces for each dwelling unit
	c.			.5 spaces for each dwelling unit
	d.	Boa	rding houses	One space for each bedroom
	e.	Mol	bile home parks	Two spaces for each dwelling unit
(2)	Con	Commercial. a. Retail sales establishments 1. Furniture stores		
	a.			
				One space for each 1700 square feet of gross floor area
		2.	Restaurants and bars, except fast food restaurants	One space for each 100 square feet of gross floor area
		3.	Fast food restaurants	One space for each 75 square feet of gross floor area
		4.	Other retail establishments, which do not exceed 50,000 square feet of gross floor area	One space for each 200 square feet of gross floor area
		5.	Other retail establishments, which exceed 50,000 square feet of gross floor area	One space for each 250 square feet of gross floor area
	b.	Mot	els, hotels and resort hotels	One space for the first sleeping area within a sleeping unit plus .5 parking spaces for each additional sleeping area within a sleeping unit plus one parking space per 250 square feet of gross floor area for accessory uses open to the general public
	c.	Per	sonal service establishment	One space for each 200 square feet of gross floor area
	d.	Rep	air service establishments	One space for each 200 square feet of gross floor area
	e.		ance, insurance and real estate ice establishments	One space for each 300 square feet of gross floor area
	f.	Bus	iness service establishments	One space for each 300 square feet of gross floor area
	g.		nmunication service blishments	One space for each 400 square feet of gross floor area
	h.		fessional service establishments, ept hospitals	

		1.	Medical and dental offices	One space for each 200 square feet of gross floor area
		2.	Other	One space for each 300 square feet of gross floor area
	i.	i. Contract construction service establishments		One space for each 300 square feet of gross floor area
	j.	Bus depots		One space for each 200 square feet of gross floor area
	k.	Shopping centers, which do not exceed 50,000 square feet of gross floor area		One space for each 200 square feet of gross floor area
	l.	Shopping centers, which exceed 50,000 square feet of gross floor area		One space for each 250 square feet of gross floor area
(3)	Oth	Other.		
	a.	Manufacturing, wholesale trade and warehouse establishments		One space for each 600 square feet of gross floor area
	b.	Public and semi-public offices		One space for each 300 square feet of gross floor area
	c.	Indoor amusement, entertainment or recreation establishments		One space for each 200 square feet of gross floor area
	d.	Places of public assembly, including theaters		One space for each 20 square feet of assembly area
	e.	Elementary schools, junior high schools and day-care centers		Two spaces per classroom
	f.		er schools except colleges and versities	Eight spaces per classroom
	g.	Mus	seums and libraries	One space for each 300 square feet of gross floor area
	h.	Hos	pitals	1.5 spaces per bed
	i.	Sanitariums, rest homes, convalescent homes and adult congregate living facilities		One space per each three beds
	j.	Recreational vehicle parks		One space per recreational vehicle space plus one space for each 300 square feet of gross floor area devoted to offices
	k.	College dormitory		One space per 3.5 beds
	l.	Chu	rches	One space for every 3 seats in fixed seating facility and one space per 40 square feet of actual assembly area for non-fixed seating facility